

G. M. VEDAK INSTITUTE OF TECHNOLOGY

Approved by AICTE, Recognized by Govt. of Maharashtra & Affiliated to University of Mumbai. Institute code: EN 3447 Department of Civil Engineering



Date: 28.09.2018

To, Prof. Ajeet Kumar Head of Civil Department

Sub: Appreciation Letter.

Dear Sir,

You are hereby informed that the feedback of the staff members of your department and the result of the subject that they taught is as below:

Sr.NO	Faculty Name	Class	Subject	Feedback Grade	Feedback	Students Choice of Faculty in
1	Prof.Vasim Pathan	SE	AM III	Poor	57%	25
2	Prof.Ajeet Kumar	SE	SOM	Very Good	80%	75
1	Prof.K.B.Meshram.	SE	EG	Very Good	77%	75
	Prof.N.Changude	SE	FM-I	Very Good	73%	25
	Prof.Y.R.Galinde	SE	SURVEY I	Good	65%	100
	Prof.Poonam Prasad	TE	ACT	Excellent	81%	75
-	Prof.Akash Lanke	ТЕ	TRE I	Very Good	75%	72
	Prof.Vinayak Biradar	TE	EE I	Very Good	79%	83
	Prof.K.B.Meshram.	TE	GE-I	Excellent	86%	90
0 1	Prof.R.D.Katale	TE	SA-I	Very Good	75%	72
1 1	Dr.A.Sakhare	TE	BCE	Very Good	78%	83
2 I	Prof.N.Changude	TE	AH-I	Excellent	86%	86
I	Prof. Y.R.Galinde	BE	QSEV	Very Good	58%	46
I	Prof. Ajeet Kumar	BE	SWM	Good	89%	87

15	Prof. Vinayak Biradar	BE	EE-II	Very Good	82%	84
16	Prof.Akash Lanke.	BE	IE	Very Good	68%	33
17	Prof R.D.Katale.	BE	LSM&RCS	Very Good	85%	65

On behalf of the management, I congratulate and appreciate all those teaching faculties whose rating of result and feedback is Good and above. I wish that you will continue your remarkable performance in teaching curriculum and track record of good results as well in future.

The faculty members having 'Poor' remark in result and / or feedback are hereby instructed to submit a report of the poor result and / or poor feedback mentioning the preventing measures to be taken by you to upgrade performance in result and feedback in future.

With best wishes,

Prof.Y.R.Galinde Feedback Coordinator Prof. Shelke V.M Dean Academics Dr. N. Y. Patil Principal

Note:

1. Excellent: above 80% - 100%

3. Good: above 60% - 70%


2. Very Good: above 70% - 80%

4. Poor: below 60%





G. M. VEDAK INSTITUTE OF TECHNOLOGY





Date: 15.03.2018

To, Prof. Ajeet Kumar Head of Civil Department

Sub: Appreciation Letter.

You are hereby informed that the feedback of the staff members of your Dear Sir, department and the result of the subject that they taught is as below:

Sr.N	TO Faculty Name	Class	Subject	Feedback Grade	Feedback	Students Choice of Faculty in
			AM III	Excellent	89.50%	100
1	Prof.M.M.Patil	SE	AMIII		95.62%	100
2	Prof.Ajeet Kumar	SE	BDD	Excellent		
		SE	BMCT	Excellent	89.66%	100
3	Prof.K.B.Meshram.				78.45%	89
4	Prof.V.Mali	SE	FM-II	Very Good		
5	Prof.Y.R.Galinde	SE	SURVEY II	Excellent	86.37%	100
5		SE	SA I	Excellent	83.04	95
6	Prof. Akash Lanke.	SE	SAT		TO 200/	100
7	Prof.D.P.Hipparkar	TE	DDSS	Excellent	78.32%	100
		TE	WRE I	Very Good	70.67%	90
8	Prof. Akash Lanke.				85.49%	100
9	Prof.Vinayak	TE	TRE II	Very Good	83.4970	_
	Biradar	TE	GE-II	Excellent	78.44%	100
10	Prof.K.B.Meshram.	X CC	01-11	Excellent		100
ī	Prof. Ajeet Kumar	TE	EE II	Very Good	85.88%	100
	•		4 CF		84.02%	100
2	Prof.P.P.Sathe	TE	ACE	Very Good		
3	Prof. Y.R.Galinde	BE	CE	Very Good	77.03%	100
4	Prof. P.P.Sathe	BE	CM	Good	78.48%	Tule Or

	15	Prof. Vinayak	BE	IWT			
1	713	Biradar Prof R.D.Katale.	BE		Very Good	85.51%	100
1	16	Treat and the same of	DE	DDRCS	Very Good	80.08%	100

On behalf of the management, I congratulate and appreciate all those teaching whose rating of result and feedback is Good and above. I wish that you will continue your remarkable performance in teaching curriculum and track record of good results as well in future.

The faculty members having 'Poor' remark in result and / or feedback are hereby instructed to submit a report of the poor result and / or poor feedback mentioning the preventing measures to be taken by you to upgrade performance in result and feedback in future.

With best wishes,

Prof.Y.R.Galinde
Feedback Coordinator

Prof. Shelke V.M
Dean Academics

Dr. N. Y. Patil Principal

Note:

1. Excellent: above 80% - 100%

3. Good: above 60% - 70%

2. Very Good: above 70% - 80%

4. Poor: below 60%

